

TRUCK & TRAILER PARTS

DURA PRO[®]

YEAR 2025



TABLE OF CONTENTS



03 / Lighting

04 / Reflector

05 / Connector

06 / Metal parts

07 / Metal parts

08 / Jockey wheel

09 / Cargo net

10 / Tie down & Lashing

11 / Wheel related products




LIGHTING

DURA PRO®

Taillights

- 56 SMD LEDs, 10-30 V
- E-mark approval
- Direction light
- Brake light
- Flash light
- Rear light
- Fog light



Side markers

- SMD LED
- 10-30 V
- Red, white, amber
- E-mark approval



LED Warning Light

- 6pcs x 3W LED
- E-mark R10, R65, Class 2
- Amber
- 12W, DC 10-33V
- 20 flash patterns
- 3M adhesive tape
- IP 67 rating



Type a:
Bendable backwards
up to 30 °C



Type b:
Super slim, 6.5mm

REFLECTOR

DURA PRO[®]

Guarding your roadway safety!



- Installation: screw / glue
- E-mark certification
- Available in various shapes

CONNECTOR

DURA PRO®



Dura-3000

7P Socket box
Alu. waterproof

12V European type



Dura-3034

7/13 P
Mini adapter

12V European type



Dura-3053

7P Plug alu. short
Screw Pin

12V European type



Dura-3055b

3P Plug screw nut

12V European type



Dura-6036

7P Socket PVC cover,
N type alu. Lid

24V European type



Dura-6009

7P EBS plug, with
screw/bandolier/punch pin
for selection

24V European type



Dura-1112

7P PVC plug
with spring cable

24V European type



Dura-1112

15P plug + 7P injection plug
with spring cable
N/S type

24V European type




METAL PARTS

DURA PRO®

Adjustable screen bracket 42mm diameter

Galvanized treatment


Length 340 mm; tube diameter 42 mm



Adjustable screen bracket 32mm Diameter


Galvanized treatment

Length 340 mm; tube diameter 32 mm



Stainless Steel Hinge Set, 8.5mm Hole

Stainless steel + polished ; Screw hole diameter: 8.5mm





METAL PARTS



Lock "Altas"

Zinc galvanized, Weight 0.9kg,


Thickness: 3.0mm (Base), 4.0mm (Pull ring), 3.0mm(Handle)



Lashing 7mm

Electroplating treatment,
Product dimensions: 102*95mm.

Plate thickness: 2mm.



JOCKY WHEEL



48mm Jockey Wheel

260 x 85mm pneumatic wheel plastic rim

- Outer tube 48mm
- Inner tube 42mm



48mm Jockey Wheel

200 x 50mm rubber wheel plastic rim

- Outer tube 48mm
- Inner tube 42mm

60mm with "K" bracket

With 200 x 60mm rubber wheel metal rim

- Outer tube 60mm
- Inner tube 51mm



48mm Clamp



cast clamp

CARGO NET

DURA PRO[®]

- Material: PP
- Size of Mesh: 45x45mm
- Color of Edge Rope: Black
- Diameter of Rope: 4mm



Size available

- a. 1.6x 2.7 meter b. 1.8x3.2 meter
c. 2.05x3.2 meter d. 2.05x4.4 meter e. 2.2x4.7 meter



TIE DOWN & LASHING

DURA PRO®

Heavy Duty Ratchet Tie Down

1.5"x 6M, 2000 kg

5cm x 8M, 4000 kg



Ratchet Tie Down

1" x 5M, 500kg

1"x 5M/2S hooks, 500 kg



CE

SS-EN 12195/2



Luggage Strap

a. 8mm x 60cm, 20kg

b. 8mm x 80cm, 20kg

c. 8mm x 100cm, 20kg

Lashing Strap

a. 1"x 2.5M, 2pcs, 200kg

b. 1"x 5M, 1pc, 200kg



Tow Rope

1pc sliding card, 2500 kg

17mm x 4M

WHEEL RELATED PRODUCTS



Stainless Wheel Skin

- a. Size 22.5"x8.25", Height 295mm
- b. Size 22.5"x 9", Height 305mm

Profile for Mudguards

Length 700mm; 2.3 kg

& The Mounting Kit



Stainless Nut Cover

Size 32mm / 33mm
Polished



Heavy duty chrome nut remover

Electroplated black;
Two-tone red/black handle



Stainless inner washer

Outer Dia 392mm Inner Dia 284mm,
Height 0.46KG

CONTACT US

13F-1, No. 81, Section 4, Wen Shin
Road, Taichung, TAIWAN

TEL: +886-4-22936691

MAIL: info@dura-pro.com

www.dura-pro.com

www.linkedin.com/company/durapro

